





VELEPRODAJNI CJENOVNIK PROGRAMA




R.B.	Naziv Artikla	SLIKA	VPC	PDV
1	KOSILNICA BENCINSKA ISKRA HG46SMH-S	 <ul style="list-style-type: none"> • Volumen motora: 139 cm³ • Snaga: 2,5 kW (3,4 KM) • Okretaji u praznom hodu: 3000 okr/min • Tip motorja: štiritaktni • Zračno hlađenje motora • Način vožnje: samohodni • Kapacitet posude za gorivo: 1,6 L • Kapacitet posude za ulje: 0,55 L • Podesiva visina reza: 25-75 mm • 8 pozicija za podešavanje visine (centralno) • Max širina reza: 460 mm (18") • Kotači: <ul style="list-style-type: none"> • Prednji 177 mm (7") • Stražnji 255 mm (10") • Volumen košare za travu: 60L • Dimenzije pakiranja (v mm): 500 (V) x 565 (Š) x 770 (G) • Neto težina: 34 kg • Bruto težina: 36,5 kg • Jamstvo 12 mjeseci 	534.00	+17%
2	BENZ. KOSACICA ISKRA HG48SMH-S	 <ul style="list-style-type: none"> • Volumen motora: 139 cm³ • Snaga: 2,5 kW (3,4 KM) • Okretaji u praznom hodu: 3000 okr/min • Tip motorja: štiritaktni OHV • Zračno hlađenje motora • Način vožnje: samohodni • Kapacitet posude za gorivo: 1,6 L • Kapacitet posude za ulje: 0,55 L • Podesiva visina reza: 20-75 mm • 8 pozicija za podešavanje visine (centralno) • Max širina reza: 480 mm (19") • Kotači: <ul style="list-style-type: none"> • Prednji 178 mm (7") • Stražnji 254 mm (10") • Volumen košare za travu: 60L • Za travnjake do: 1600 m² 	538.00	+17%
3	BENZINSKA KOSILICA LM51M	 <ul style="list-style-type: none"> • Volumen motora: 139 cm³ • Snaga: 2,6 kW (3,5 KM) • Okretaji u praznom hodu: 3000 okr/min • Tip motorja: štiritaktni OHV • Zračno hlađenje motora • Način vožnje: guranje • Kapacitet posude za gorivo: 1,6 L • Kapacitet posude za ulje: 0,55 L • Podesiva visina reza: 20-75 mm • 3 pozicija za podešavanje visine • Max širina reza: 510 mm (20") • Kotači: <ul style="list-style-type: none"> • Prednji 178 mm (7") • Stražnji 178 mm (7") • Za travnjake do: 1600 m² 	350.00	+17%


4	ŠKARE ZA ŽIVICU XY-HT260B		<ul style="list-style-type: none"> • Volumen motora: 26,3 cm³ • Tip motora: HT260B (1E34F) 2-taktni • Zračno hlađenje motora • Snaga: 0,75 kW (1.0 KM) • Okretaji u praznom hodu: 3000 okr/min • Brzina motora bez opterećenja: 7500 okr/min • Širina reza (max): Ø 23 mm (0,9") • Dužina reza: 560 mm (22") • Dužina mača: 600 mm (23,6") • Kapacitet posude za gorivo: 0,5 L • Vibracije (prednja ručica): 6,944 m/s² • Vibracije (zadnja ručica): 5,331 m/s² • Dimenzije pakiranja (v mm): 1070 (D) x 240 (Š) x 215 (V) • Neto težina: 4,8 kg • Bruto težina: 5,6 kg 	213.00	+17%
2	BENCINSKA MOTORNA KOSA ISKRA XY-BC415		<ul style="list-style-type: none"> - Volumen motora: 42,7 cm³ - Snaga: 1,5 kW (2 KM) - Okretaji u praznom hodu: 8000 okr/min - Tip motora: dvotaktni - Kapacitet posude za gorivo: 1L - Dužina palice za košnju: 1530 mm (60") - Tip ručke: dvoručna - Glava s niti: ø 255 mm (10") - Glava s sječivom: ø 255 mm (10") - Dimenzije pakiranja (vmm): <ul style="list-style-type: none"> • Kutija za motor: 300 (V) x 270 (Š) x 300 (G) • Kutija palice za košnju: 100 (V) x 1650 (Š) x 100 (G) - Neto težina: 7,1 kg - Bruto težina: 9,1 kg <p>- Jamstvo 12 mjeseci</p>	210.00	+17%
3	BENCINSKA MOTORNA KOSA ISKRA XY-BC415EA		<ul style="list-style-type: none"> • Volumen motora: 42,7 cm³ • Snaga: 1,5 kW (2 KM) • Okretaji u praznom hodu: 8000 okr/min • Tip motora: dvotaktni • Kapacitet posude za gorivo: 1L • Dužina palice za košnju: 1460 mm (57,5") • Tip ručke: dvoručna • Glava s niti: ø 410 mm (16") • Glava s sječivom: ø 255 mm (10") • Dimenzije pakiranja (v mm): <ul style="list-style-type: none"> • Kutija za motor: 420 (V) x 300 (Š) x 350 (G) • Kutija palice za košnju: 100 (V) x 1480 (Š) x 100 (G) • Neto težina: 10 kg • Bruto težina: 11,8 kg <p>• Jamstvo 12 mjeseci</p>	265.00	+17%
4	BENCINSKA MOTORNA KOSA ISKRA XY-BC520		<ul style="list-style-type: none"> • Volumen motora: 51,2 cm³ • Snaga: 1,5 kW (2 KM) • Okretaji u praznom hodu: 7500 okr/min; 8500 okr/min • Tip motora: dvotaktni • Kapacitet posude za gorivo: 1L • Dužina palice za košnju: 1530 mm (60") • Tip ručke: dvoručna • Glava s niti: ø 480 mm (19") • Glava s sječivom: ø 255 mm (10") • Dimenzije pakiranja (v mm): <ul style="list-style-type: none"> • Kutija za motor: 300 (V) x 270 (Š) x 300 (G) • Kutija palice za košnju: 100 (V) x 1650 (Š) x 100 (G) • Neto težina: 7,1 kg • Bruto težina: 9,1 kg <p>• Jamstvo 12 mjeseci</p>	218.00	+17%

5	ELEKTRIČNA ŽAGA ISKRA SF7J112(D)-4		<ul style="list-style-type: none"> • Napon: 230-240V~50Hz • Moč motora: 2000W • Max. br. obrtaja: 7000/min • Brzina lanca: 12m/s • Rezervoar ulja u motoru: 215 ml • Veličina mača: 406 mm (16") • Nivo zvučnog tlaka: 112dB(A) • Zaštitni razred: II • Neto težina: 4.9 kg • Bruto težina: 5.8 kg • Dimenzije kutije (u mm): 460 (Š) x 275 (V) x 230 (D) <ul style="list-style-type: none"> • Jamstvo 12 mjeseci 	134.00	+17%
6	BRUSILNIK KOTNI ISKRA GX-AG010-1 2000W		<ul style="list-style-type: none"> • Voltage: 220-240V~50Hz • Power: 2000W (max) • No load speed: 0-6500 obr/min • Disk size: Ø 180 mm • Spindle size: M14 • Two additional grip positions • Length of power cord: 1,8m • Box dimensions (in mm): 165 (H) x 480 (W) x 145 (G) • Net weight: 2,2 kg • Gross weight: 2,3 kg <ul style="list-style-type: none"> • Guarantee 12 months 	97.00	+17%
7	BRUSILNIK KOTNI ISKRA S1M125 DB5017 900W		<ul style="list-style-type: none"> • Voltage: 220-240V~50Hz • Power: 900W (max) • No load speed: 0-11000 obr/min • Disk size: Ø 125 mm • Spindle size: M14 • Two additional grip positions • Length of power cord: 1,8m • Box dimensions (in mm): 110 (H) x 295 (W) x 135 (G) • Net weight: 1,7 kg • Gross weight: 1,8 kg <ul style="list-style-type: none"> • Guarantee 12 months 	49.00	+17%
8	BRUSILNIK KOTNI ISKRA S1M-DD13-125 900W		<ul style="list-style-type: none"> • Voltage: 220-240V~50Hz • Power: 900W (max) • No load speed: 0-12000 obr/min • Disk size: Ø 125 mm • Spindle size: M14 • Two additional grip positions • Length of power cord: 1,8m • Box dimensions (in mm): 120 (H) x 310 (W) x 133 (G) • Net weight: 1,5 kg • Gross weight: 1,6 kg <ul style="list-style-type: none"> • Guarantee 12 months 	54.00	+17%

9	BRUSILNIK KOTNI ISKRA S1M-HF-115H-1 600W		<ul style="list-style-type: none"> • Voltage: 220-240V~50Hz • Power: 600W (max) • No load speed: 0-11000 obr/min • Disk size: Ø 115 mm • Spindle size: M14 • Two additional grip positions • Length of power cord: 1,8m • Box dimensions (in mm): 107 (H) x 295 (W) x 123 (G) • Net weight: 1,7 kg • Gross weight: 1,8 kg <ul style="list-style-type: none"> • Guarantee 12 months 	39.00	+17%
10	BATERIJSKA BUŠILICA ML-CD92-144		<ul style="list-style-type: none"> - Napon: 14,4V - Snaga: Li-ion baterija (1,5Ah) - Okretaji u praznom hodu: 0-700/min⁻¹ - Stupnjevi zakretnog momenta: 21+1 - Moment: 15 Nm - LED žarulja - Samozaštariva glava: ø 10 mm (max) - Kapacitet bušenja: <ul style="list-style-type: none"> - 16 mm (drvo) - 6 mm (željezo) - Dimenzije pakiranja (v mm): 242 (V) x 196,5 (Š) x 73 (G) - Neto težina: 1,03 kg - Bruto težina: 1,42 kg <p>Pakiranje vanjska ambalaža</p> <ul style="list-style-type: none"> - Dimenzije kutije (v mm): 390 (V) x 215 (Š) x 260 (G) - Količina: 5 kom/kutija - Neto težina: 6,5 kg - Bruto težina: 7,1 kg <ul style="list-style-type: none"> - Jamstvo 12 mjeseci 	82.80	+17%
11	BATERIJSKA BUŠILICA ML-CD92-180		<ul style="list-style-type: none"> - Napon: 18V - Snaga: Li-ion baterija (1,5Ah) - Okretaji u praznom hodu: 0-700/min⁻¹ - Stupnjevi zakretnog momenta: 21+1 - Moment: 18 Nm - LED žarulja - Samozaštariva glava: ø 10 mm (max) - Kapacitet bušenja: <ul style="list-style-type: none"> - 18 mm (drvo) - 7 mm (željezo) - Dimenzije pakiranja (v mm): 242 (V) x 196,5 (Š) x 73 (G) - Neto težina: 1,13 kg - Bruto težina: 1,52 kg <p>Pakiranje vanjska ambalaža</p> <ul style="list-style-type: none"> - Dimenzije kutije (v mm): 390 (V) x 215 (Š) x 260 (G) - Količina: 5 kom/kutija - Neto težina: 7 kg - Bruto težina: 7,6 kg <ul style="list-style-type: none"> - Jamstvo 12 mjeseci 	88.20	+17%
	VIBRACIJSKA BUŠILICA ISKRA GX-EID040-2		<ul style="list-style-type: none"> • Napon: 220-240V~50Hz • Snaga: 500W (max) • Brzina okretaja: 0-3000 okr/min • Stezna glava: Ø 1,5-13 mm • Promjenjiva brzina • Dva smjera vrtnje • Dodatan ručaj • Mjerač dubine • Duljina kabela za napajanje: 1,8m • Dimenzije pakiranja (v mm): 290 (D) x 70 (Š) x 255 (V) • Neto težina: 2,03 kg • Bruto težina: 2,13 kg <ul style="list-style-type: none"> • Jamstvo 12 mjeseci 	36.50	+17%

12	VRTALNIK UDARNI ISKRA Z1J-DD24-13B 900W		<ul style="list-style-type: none"> • Voltage: 220-240V~50Hz • Power: 900W (max) • No load speed: 0-3000 obr/min • Chuck size: Ø 1,5 - 13 mm • Variable speed • Both rotation directions • Extra handle • Depth meter • Drilling in: <ul style="list-style-type: none"> - iron: 13 mm - concrete: 16 mm - wood: 25 mm • Length of power cord: 1,8m • Box dimensions (in mm): 240 (H) x 300 (W) x 75 (G) • Net weight: 1,9 kg • Gross weight: 2 kg <ul style="list-style-type: none"> • Guarantee 12 months 	56.00	+17%
13	VRTALNIK UDARNI ISKRA Z1JE-KK6-13 710W		<ul style="list-style-type: none"> • Voltage: 220-240V~50Hz • Power: 710W (max) • No load speed: 0-3000 obr/min • Chuck size: Ø 1,5 - 13 mm • Variable speed • Both rotation directions • Rubberised rear handle • Extra handle • Depth meter • Drilling in: <ul style="list-style-type: none"> - iron: 13 mm - concrete: 16 mm - wood: 25 mm • Length of power cord: 1,8m • Box dimensions (in mm): 240 (H) x 280 (W) x 70 (G) • Net weight: 2 kg • Gross weight: 1,9 kg <ul style="list-style-type: none"> • Guarantee 12 months 	47.00	+17%
14	VRTALNIK VIBRACIJSKI ISKRA Z1J-13 DB5307 600W		<ul style="list-style-type: none"> • Voltage: 220-240V~50Hz • Power: 600W (max) • No load speed: 0-3000 obr/min • Chuck size: Ø 1,5 - 13 mm • Variable speed • Both rotation directions • Extra handle • Depth meter • Drilling in: <ul style="list-style-type: none"> - iron: 13 mm - concrete: 16 mm - wood: 25 mm • Length of power cord: 1,8m • Box dimensions (in mm): 240 (H) x 263 (W) x 70 (G) • Net weight: 2,03 kg • Gross weight: 2,13 kg <ul style="list-style-type: none"> • Guarantee 12 months 	45.00	+17%
	BUSILICA VIBRACIONA SA SET ALATA GX- BMC002		<ul style="list-style-type: none"> • vibraciona bušilica sa setom alata • snaga: 500W • napon: 230-240V~50Hz • okretaji u praznom hodu: 0-3000/mi • promjer: ø 13mm • promjenjiva brzina • dva smjera vrtnje • dodatan ručaj • mjerač dubine • dužina kabla: 1,5m • priloženi alati: <ul style="list-style-type: none"> - stolarski čekić 227g - kombinirana kliješta <ul style="list-style-type: none"> - kombinirana kliješta - podesiva kliješta - magnetski nastavak za nastavke - tapetarski nož - mjerna traka (2 m) - set nasadnih ključeva - set 25 mm nastavaka - set za bušenje - vijci s tiplom • Pakiranje: kofer 	68.20	+17%

	BUŠILICA UDARNA ISKRA Z1C-ZT3-26 800W		<ul style="list-style-type: none"> Napon: 230V~50Hz Snaga: 800W (max) Udarna snaga: 2,8J Brzina okretaja: 0-1200 okr/min-1 Broj udaraca: 0-5300 udaraca/min-1 Max. promijer svrdla: Ø 26 mm SDS plus sistem svrdla Meka gumirana ručka Nadzor brzina Oba smjera vrtnje: lijevo / desno Dodatna ručka Priložen pribor: 2 x dljetja • 3 x bušilica • 1 x omot protiv prašina • mjerac dubine Bušenje u: željezo: 13 mm beton: 26 mm drvo: 30 mm Duljina kabela za napajanje: 1,8m 	115.00	
15	KLADIVO UDARNO ISKRA Z1C-DL05-26		<ul style="list-style-type: none"> Voltage: 220-240V~50Hz Power: 850W (max) No load speed: 850 obr/min-1 Blows per minute: 3150 blows/min-1 Chuck: SDS mechanism Extra handle BMC suitcase 2x chisels 3x drills 1x chuck 1x dust cover Drilling into: iron: 13 mm concrete: 26 mm wood: 40 mm Length of power cord: 1,8m Box dimensions (in mm): 330 (H) x 425 (W) x 100 (G) Net weight: 2,2 kg Gross weight: 2,3 kg Guarantee 12 months 	115.00	+17%
	BUSILICA UDARNA ISKRA Z1C-32FB 1500W		<ul style="list-style-type: none"> Napon: 230V~50Hz Snaga: 1500W (max) Udarna snaga: 5J Brzina okretaja: 800 okr/min-1 Broj udaraca: 4000 udaraca/min-1 Max. promijer svrdla: Ø 26 mm SDS plus sistem svrdla Meka gumirana ručka Sustav protiv vibracija Brzina odabira: 0-5 (max) Dodatna ručka Priložen pribor: 2 x dljetja • 3 x bušilica • 1 x omot protiv prašina • mjerac dubine • posudica z mastjo • ključ Bušenje u: željezo: 13 mm beton: 32 mm drvo: 40 mm Duljina kabela za napajanje: 1,8m Pakiranje: kofer 	149.00	+17%
16	KROŽNA ŽAGA ISKRA M1Y-DU29-185-1200		<ul style="list-style-type: none"> Voltage: 220-240V~50Hz Power: 1200W (max) No load speed: 0-4500 obr/min Blade diameter: Ø 185*18T*20 mm Cutting depth 90° angle (max): 60 mm Cutting depth 45° angle (max): 48 mm Adjustable cutting angle: up to 45° Comfortable grip adjustable protection Length of power cord: 1,8m Box dimensions (in mm): 265 (H) x 325 (W) x 245 (G) Net weight: 4,62 kg Gross weight: 4,87 kg Guarantee 12 months 	97.00	+17%

	Ručna kružna pila GX-MC009		<ul style="list-style-type: none"> • Napon: 220-240V~50Hz • Snaga: 1200W (max) • Brzina okretaja: 0-5000 okr/min • Promjer oštrice: Ø 185*18T*20 mm • Dubina reza 90° kut (max): 60 mm • Dubina reza 45° kut (max): 48 mm • Podesivi kut rezanja: do 45° • Udobna drška • Podesiva zaštita • Duljina kabela za napajanje: 1,8m • Dimenzije pakiranja (v mm): 325 (D) x 245 (Š) x 245 (V) • Neto težina: 3,75 kg • Bruto težina: 4 kg 	88.90	+17%
17	ŽAGA VBODNA ISKRA 550W GX-JS004A		<ul style="list-style-type: none"> • Voltage: 220-240V~50Hz • Power: 600W (max) • 3-stage pendulum action • No load speed: 0-3000 obr/min • Variable speed setting • Bevel angle: up to 45° • Cutting depth: <ul style="list-style-type: none"> • wood: 65 mm • plastic: 12 mm • steel: 6 mm • Length of power cord: 1,8m • Box dimensions (in mm): 215 (H) x 240 (W) x 75 (G) • Net weight: 2 kg • Gross weight: 2,1 kg <p>• Guarantee 12 months</p>	58.00	+17%
18	Motorna testera Iskra PN 4500-6		<p>Zapremina motora: 45,2 cm³</p> <ul style="list-style-type: none"> • Nazivna izhodna moć: 1,5 kW (2 KM) • Brzina: 3000 obr/min • Tip motora: dvotaktni • Zračno hlađenje motora • Posuda za gorivo : 400 ml • Posuda za ulje: 210 ml • Dužina mača: 406 mm (16") • Korak: 8,255 mm (.325") <p>Garancija: 1 godina</p>	217.00	+17%
19	Motorna testera Iskra PN 5200-6		<p>Zapremina motora: 49,2 cm³</p> <ul style="list-style-type: none"> • Nazivna izhodna moć: 2,1 kW (2.9 KM) • Brzina: 3000 obr/min • Tip motora: dvotaktni • Zračno hlađenje motora • Posuda za gorivo : 550 ml • Posuda za ulje: 260 ml • Dužina mača: 457 mm (18") • Korak: 8,255 mm (.325") <p>Garancija : 1 Godina</p>	220.00	+17%

20	PUHAČ, USISIVAČ LIŠČA ISKRA DT 2250A		<p>1.Napetost / Napon: 230V-240V~/50Hz 2.Moč / Jakost: 1800W/2000W/2400W/2500W/2600W/2800W/3000W 3.Hitrost obratov prostega teka / Brzina obrata u prostoj radnji: 8000~15000/min 4.Max. volumen zraka / Max. Volumen vazduha: 13.2m³/min 5. Max. brzina zraka / Max. brzina vazduha:270km/h 6. 35L odpadna vreča / 35L vreča za otpad 7. 3 u 1 Funkcija: Sesanje + Pihanje + Mulčanje / Usasivanje + Puhanje + Mulčanje 8. Nivo Mulčanja – zmanjšanje / Razina Mulčanja – pomanjenje : 10:1 9.Kabel:H05VV-F 2x0.75mm2 , VDE vtikač, L = 35cm Garancija: 12 Mjeseci</p>	67.50	+17%
21	SET IZVIJAČA ISKRA ERO HTS 6			8.90	+17%
22	SET IZVIJAČA ISKRA ERO HTS 18			19.50	+17%
23	SET IZVIJAČA ISKRA ERO HTS 58			17.00	+17%

	GARNITURA ALATA 39 DIJELOVA ERO HTWR-39		<p>GARNITURA ALATA 39-DIJELNA Iskra ERO HTWR-39</p> <ul style="list-style-type: none"> • Kombilirane kiješta: 150 mm (8') • Tesarski čekić: 227g (8 oz) • Škalpel: 19 mm • Metar: 3 m x 16 mm • Škare od nehrđajućeg želika • Inbus 6-kutni kijačovi: 1,5 - 10 mm • Preciznostni odvijači: 2x krstasti (0,1); 2x ravni (2,4mm, 3,0mm) • Magnetsna ručka za nastavke: e: 6,35 mm (1/4") • Magnetsni podaljšek nastavkov: 60 mm • 25 mm nastavci: (20 komada) • Ravni nastavci (SL): 3, 4, 5, 6 • Krstasti nastavci (PH): 1, 2, 3 • Krstasti nastavci sa zvijezdom (PZ): 1, 2, 3 • Inbus nastavci (H): 3, 4, 5, 6 • Torx nastavci (T): 10, 15, 20, 25, 27, 30 • Pakiranje: kofer • Dimenzije kofer (u mm): 320 (D) x 80 (S) x 185 (V) 	29.00	+17%
24	GARNITURA 94 DIJELA ISKRA HTWR 94			34.00	+17%

U Bijeljini, 25.01.2017.godine

Rabati:

Na gore navedene VPC se odobravaju određeni rabati u zavisnosti od načina plaćanja i količine uzete robe.

Način isporuke:

franco prodajno mjesto kupca.

Kontakt osobe:

Biljana Marinković, tel.: 065/231-922

Goran Blagojević, tel.: 065/371-216

Ostojić Veljko, tel.:065/009-096